

FULZYME® PLUS



Product Information

GENERAL INFORMATION

FULZYME PLUS is a natural product produced by a unique fermentation process. It contains a group of beneficial microorganisms and selected enzyme complexes specifically designed to improve soil and plant health by crowding out pathogens.

FULZYME PLUS can be applied to ALL crops including all vegetables, Potatoes, Carrots, Onions, all berries and strawberries, all Brassicas, all fruit trees, Avocados, Persimmons, Citrus, all Nut trees, Vineyards, Kiwifruit, Tropical fruit, Lettuce, Asparagus, all Melons, Beans, Ginger, Ornamentals, Cut flowers and Pastures.

GUARANTEED ANALYSIS

B. subtilis Bacteria 2 x 10¹⁰ / gram

Enzymes: Protease, Amylase, Chitinase & Lipase

Inert ingredients: Water

KEEP OUT OF REACH OF CHILDREN

For increased benefits, combine **FULZYME PLUS** 1L/ha with **TRI-D25** (1kg/ha) and with **HUMAX** (1kg/ha).

COMPATIBILITY: **FULZYME PLUS** is compatible with **TRI-D25 PHOSCARE** and **HUMAX**.

FULZYME PLUS is **INCOMPATIBLE** with Copper, Chlorine, and or any fumigation products and anti bacterial products.

How to Clean Spray Tank, Filters, and Accessories:

Remove spray tank filters. Soak them for 3-4 hours in a concentrated Urea solution (2kg of Urea in 10 l of water). Dissolve 5 kg of Urea in 1000L spray tank. Run the pump until all hoses and nozzles are filled with urea solution. Flush filters and spray tank prior to spraying **FULZYME PLUS** in the late afternoon.

NET CONTENTS

3.785 Litres

Lot #

Expiry date:

Directions and General Recommendations

SOIL APPLICATION

Apply **FULZYME PLUS** at 1L/ha in drip irrigation and at 2L/ha in Sprinkler or Pivot irrigation. Repeat six weeks later.

TRANSPLANTING DIP: Dilute **FULZYME PLUS** at 2 - 3mL / 1L of water and dip seedlings (roots and leaves) or water the seedlings while in trays before transplanting.

POTTING MIXES: Dilute **FULZYME PLUS** at 50 - 100mL per cubic meter of potting mix.

ALL FIELD CROPS (grain crops, flowers, etc. ...) Apply 1.0 L per hectare of **FULZYME PLUS** at planting. Repeat the application four to six weeks later.

ALL VEGETABLE CROPS: Apply 1.0 L per hectare of **FULZYME PLUS** at planting. Repeat the application four to six weeks later.

GREENHOUSE CROPS: Inject **FULZYME PLUS** at a rate of 100mL per shed (400 sqm). Repeat this application every month.

APPLES, POME & STONE FRUIT: Apply 1L per hectare of **FULZYME PLUS** at any stage in spring and Repeat early autumn.

FRUIT TREES, NUTS & AVOCADOS:

Apply 1L per hectare of **FULZYME PLUS** at any stage in the spring. Repeat mid summer. Repeat early autumn.

KIWI FRUIT: Apply 1L per hectare of **FULZYME PLUS** at any stage in the spring. Repeat mid summer. Repeat early autumn.

GRAPES & CITRUS: Apply 1L per hectare of **FULZYME PLUS** at any stage in the spring (OCT-NOV). Repeat early in autumn (March-Apr)

FOLIAR APPLICATION

Activate **FULZYME PLUS** in water for 3 - 4 hours prior to spraying.

Apply **FULZYME PLUS** at 2 - 3 mL / 1L of water and spray on to the foliage and fruit of the plants early morning or late afternoon. Target applications towards the fruit on tree crops and bunches on grapes. Repeat as needed. No withholding period exists.

FULZYME PLUS is best applied when plants are in an active growing stage, after irrigation or rainfall. **FULZYME PLUS** may be used at any time throughout the season. For best results and more specific recommendations, contact your nearest distributor.

LIMITED WARRANTY

Manufacturer or reseller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor reseller shall be liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described on the label.

Imported and Distributed in Australia exclusively by: Zadoo For Quality Gro PTY LTD, ABN 57080 750 084 | 9/9A Foundry Road, Seven Hills NSW 2147
Ph: 02 9838 9111 Fax: 02 9838 9110 | email: inquiries@zadoo.com.au. website: www.zadoo.com.au **Imported and Distributed in New Zealand exclusively by:**
Roots Shoots and Fruits Ltd | PO Box 72, Waiteke Island, Auckland, New Zealand | Ph: +64(0) 9372 9155 Fax: +64(0) 9372 9156 | email: rsf@rd2.co.nz
website: www.rd2.co.nz **Manufactured by:** JH BIOTECH, INC. PO Box 3538, Ventura, CA 93006, USA